



Yanyan Heat Transfer

Dongguan Yanyan Heat Transfer Technology Co.,Ltd



About US

We are a specialized manufacturer of heat transfer vinyl films, with 16 years of industry experience since our establishment in 2008. Our main products include heat transfer vinyl films, adhesive labels, heat transfer prints, TPU leather, glitter synthetic leather, laser engraving machines, and heat press machines. We offer not only standard products but also customized services to meet the diverse needs of our clients.

Main categories

UV Printable vinyl , Heat Transfer Vinyl, Heat Transfer Printing, Heat Transfer Label, Self-adhesive Vinyl, Laser Cutting Machine, TPU Film, TPU/PVC Glitter Leather



UV Printable Vinyl (UV 打印膜)

Size: 1.35m*25m/roll it can be cut into 2 roll-67.5cm*25m/roll or 3 rolls-45cm*25m/roll

PET sticky film fit on the glue side (热熔胶面有PET胶片)



01 0.5mm matte gold TPU
0.5mm 哑金TPU



02 0.5mm matte silver TPU
0.5mm 哑银TPU



03 0.7mm white TPU
0.7mm 白色TPU



04 0.5mm white TPU
0.5mm 白色TPU



05 0.35mm white TPU
0.35mm 白色TPU



06 1.8mm white PU
1.8mm 白色PU



07 1.0mm white PU
1.0mm 白色PU



08 0.5mm matte gold PU
0.5mm 哑金PU



09 0.5mm matte silver PU
0.5mm 哑银PU



10 0.5mm matte white PU
0.5mm 哑金白色PU



11 0.5mm glossy pearlescent gold PU
0.5mm 亮面珠光金PU



12 0.5mm pearlescent white brushed TPU
0.5mm 珠光白拉丝PU



13 0.7mm gold with sand texture glitter PU
0.7mm 砂纹金色闪粉PU



14 0.7mm silver with sand texture glitter PU
0.7mm 砂纹银色闪粉PU




15 0.75mm white with sand texture glitter PU
0.75mm 砂纹白色闪粉PU




16 0.75mm white brushed texture glitter PU
0.75mm 拉丝纹白色闪粉PU



17 0.5mm glossy silver PU
0.5mm 亮面银PU




18 0.5mm glossy gold PU
0.5mm 亮面金PU



19 0.35mm matte gold TPU (New)
0.35mm 新款哑金TPU (61cm width)




20 0.35mm matte silver TPU(New)
0.35mm 新款哑面银TPU(61cm width)




21 0.25mm white TPU
实色白色TPU




22 0.4mm white TPU
0.4mm 实色白色TPU




23 0.12mm Hologram silver TPU
素面镭射银TPU




24 0.5mm Hologram silver TPU
素面镭射银TPU




25 0.5mm Mirror gold TPU
镜面电镀金TPU




26 0.4mm Mirror silver TPU
镜面电镀金银TPU



27 0.35mm white with sand texture glitter TPU
砂纹白色纹路闪粉TPU




28 0.35mm silver with sand texture glitter TPU
砂纹银色闪粉TPU



29 0.35mm gold with sand texture glitter TPU
砂纹金色闪粉TPU



30 0.25mm/0.5mm/1.0mm Transaprent TPU
透明色TPU(0.25mm/0.5mm/1.0mm)




31 0.5mm white TPU
0.5mm 实色白色TPU




32 0.2mm/0.3m/0.5m/1.0mm fully transparent TPU
0.2mm/0.3mm/0.5m/1.0mm全透明 TPU




33 0.5mm sulimation white TPU
0.5mm 防升华白色TPU




34 0.5mm laser gold TPU
0.5mm 素面镭射金TPU




35 0.5mm mate green gold TPU
0.5mm 哑绿金TPU




36 0.5mm 2D black+silver Lenticular TPU
0.5mm光栅 黑线银底2D TPU



37 0.5mm 2D black+gold Lenticular TPU
0.5mm光栅 黑线金底2D TPU



38 0.4mm tatami fabric
0.4mm榻榻米布料



39 0.4mm tatami fabric
0.4mm 榻榻米布料



white color



Full Transparent



Mirror gold



Laser silver



Yanyan Heat Transfer


UV Printable Vinyl (UV 打印膜)

Size: 1.35m*25m/roll it can be cut into 2 roll-67.5cm*25m/roll or 3 rolls-45cm*25m/roll

PET sticky film fit on the glue side (热熔胶面有PET胶片)

Thickness: 0.7mm

11152





Matte gold



Gold Color Effet




dark mirror gold



Tatami fabric



Glitter Color Effet



Sanded semi-transparent


60 UV DTF Printer



印刷过程/Printing Process



1.software typesetting/1. 软件排版



Crystal mark

2.Printing+laminating in one/2.打印+覆膜在一台机器上完成

3.Printing finished producteffect/3.印刷成品效果

产品应用/Product application



Glass
玻璃

Metal
金属

scrub
磨砂

Jewelry case
饰品盒

Tea Canister
铁罐

Cups
杯子



hat
帽子



clothes
衣服



shoes
鞋



bag
包



Body pillow
抱枕



clothes
衣服

细节/detail



1.采用进口滑块
1. Import slider



2.采用精洗铝横梁
2. Use refined aluminum beams




3.60°C打印机头安装后，速度至少提高了1.5倍。
3. 60°C printer head installation, Speed is increased by at least 1.5 times.



4.用汉森板卡、高稳定性
4. Utilizing the Hanson PCB, ensuring high stability.



5.外置墨盒，易于操作
5. External ink cartridge, easy to operate



6.步进电机，走纸稳，确保打印品质
6. Stepper motor, stable paper feed, ensuring print quality



7.卷平一体设计，多功能方案
7. Rolling flat integrated design, multi-functional solution



8.高性能一体电机、高稳定性
8. High-performance integrated motor, high stability


重要参数/Important parameter

	设备型号 Equipment Type		YY-TC-60
	喷头类型 Nozzle Type		3200HD
	喷头数量 Nozzle		1pcs
	打印高度 printer hight		2-3cm
打印速度产 Speed	720*1800 6pass 3.8 m ² /H		
	720*2400 8pass 3 m ² /H		
墨水类型 INK	UV	打印介质 Print Medium	UV printable vinyl UV DTF film(A+B)
颜色配置 Color Configuration	KCMY+W+V	有效打印宽幅 Effective Printing Width	60CM
RIP	RIIN	图像格式 Picture Format	JPG TIF PDF
操作系统 Computer system	win 7/win10	工作环境 Work Environment	Humidity: 35%-65% Temperature:20-28
电压 Input Voltage	110V-220V 50/60HZ	电流 Electric Current	7A
缺纸传感器 Paper shortage sensor	Yes	独立搅拌循环 Independent circulating stirring	Yes
功率 Power	950w	设备尺寸 Equipment Size	1245*830*1100 mm
包装尺寸 Packing Size	1300*700*450mm	净重 NetWeight	100KG
毛重 Package Weight	130KG		

Digital Die-cutting Machine

Product Parameters

Support USB/Flash drive/Network port/Wi-Fi



it can be cut the outline of TPU Vinyl

- ✓ Automatic positioning
- ✓ Automatic correction of deviation
- ✓ Automatic calibration
- ✓ Automatic cutting



设备型号: Model:	P3040
最大切割速度: Max. Cutting Speed:	1000 mm/s
最大切割压力: Max. Cutting Force:	1000 g
最大材料厚度: Max. Cutting Thickness:	1.2 mm
有效切割面积: Cutting Area:	300×420 mm
材料固定方式: Media Hold-Down:	真空吸附 Vacuum Suction
传输接口: Interface:	USB、U盘、网口、WiFi USB, Flash Drive, Ethernet Port, WiFi
定位方式: ARMS System :	摄像头定位系统 CCD Camera
驱动系统: Drive System:	伺服系统 Servo System
分辨率: Resolution :	0.0125mm

电源: Power Supply:	AC100~240V/50~60Hz/10A
工作环境: Working Atmosphere:	温度: 0~35°C 相对湿度: 35%~95% (无凝水) Temperature: 0 to 35°C, Relative Humidity: 35% to 95% (non-condensing).
主机包装尺寸: Unit Dimensions:	910×710×420mm
气泵包装尺寸: Air Pump Dimensions:	300×270×295mm
主机毛重: Unit G.W:	37KG
气泵毛重: Air pump G.W:	11KG



45W / 80W Laser cutting machine +CCD for contour cutting

it can be cut UV Printable Vinyl



LASER CUTTING MACHINE ADVANTAGES FOR PROFESSIONAL CLOTHING ENGRAVING FILM

Control system: Advanced A3S laser control system is used, which supports USB connection, U diskreading, network cable connection, WIFI connection, stable laser control and precisemotor movement.

Motor system : The whole system uses servo motor, low motion noise, and no jagged cutting edges. high precision

Feeding system: Using a whole section of aluminum alloy, segmented steel spikes, and a super multi-section matrix, compatible with various material sizes.

Suction platform: Equipped with a 304 stainless steel platform and a dual turbo fan, with a knob to adjust the suction power

Laser type: uses a STP-50W carbon dioxide glass laser tube, 45W radio frequency laser 80W RF laser three models to choose from

Waste gas treatment: adopt the self-developed smoking pipeline, with 550W high-power medium-pressure fan.

Industrial Chiller



Smoking machine

