


Dongguan Yanyan Heat Transfer Technology Co.,Ltd



Sample Room

YY-6504+650-X2

A1 DTF Printer



Machine Features:

- A: Automatic sense to collect paper film, high efficiency , low manual labor
- B: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet needs of small order, but fast returns and large-scale high -speed production
- C: Easy to operate , complete printing , powdering, curing, collecting paper film in one go;
- D: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet various personalized printing needs

机器特点：

- A: 自动感应收纸，高效率，低人工
- B: 白彩同出，不限面料，不限颜色，满足小单快返和大批量高速生产需求
- C: 操作便捷高效，高效打印，过粉、烘干、收卷一气呵成
- D: 白彩同出，不限面料，不限颜色，满足各种个性化打印需求

Application areas/应用领域：

- Cotton, denim, casual wear, socks, sports wear, apron, hoodie, hat, mask, T-shirts, canvas bag, etc.
- 纯棉、牛仔布、休闲服、袜子、球服、围裙、卫衣、帽子、口罩、T恤、帆布包等

Technical Parameters/技术参数：


01. DTF printer DTF 打印机

Printer Model 打印机型号	YY-6504
Head quantity/Mainboard 喷头数量/主板	4 printhead/ Hoson board 汉森主板
Printhead model 喷头类型	i3200
Printing speed 打印速度	4 pass:18~33m ² /h or 6 pass:12~22m ² /h
Printing media印刷介质	PET DTF Film 烫画专用DTF膜
Ink type 墨水类型	Special DTF ink 烫画专用DTF墨水
Transmission Interface 传输接口	Gigabit Network 千兆网络
Printing width 打印宽幅	600mm
Input voltage 电压	220V/110V
Media width 介质宽幅	0-600mm
Rip software PIP软件	Maintop 6.1 蒙泰6.1
Printer power 打印机功率	1500W
Printer size 打印机尺寸	1920*760*1470mm
Printer packing size 打印机包装尺寸	2020*780*750mm
Printer weight 打印机重量	N.W: 140KG G.W: 194KG

02. Powder shaker 抖粉机

Powder shaker model 抖粉机型号	YY-650-X2
Media width 介质宽幅	0~600mm
Heating device 加热设备	Quartz heating tube/infrared heating tube 石英加热管/红外线加热管
Machine power 抖粉机功率	4500W/18A
Machine weight 抖粉机重量	N.W: 170KG G.W: 223KG
Machine size 抖粉机尺寸	2300*1130*1080mm
Machine packing size 抖粉机包装尺寸	1950*1150mm*1260mm


Printer Details/打印机细节：



4 heads integrated ink stack
四头墨栈



Integrated powder supply board
集成电路




Anti-collision sliding trolley
小车防撞



Integrated platform +THK crossbeam
一体式吸附平台+THK横梁

Powder shaker Details/抖粉机细节：




Heat tubes
加热灯管



Automatic sensing paper receiver
自动感应手纸器



Cooling fan
冷却风扇



Powder recycle box
粉末回收盒

YY-T602+600

A1 DTF Printer



Machine Features:

- A: Automatic sense to collect paper film, high efficiency, low manual labor
- B: White ink stirring, circulation, ensure smooth printing without white ink precipitation
- C: Easy to operate, complete printing, powdering, curing, collecting paper film in one go;
- D: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet various personalized printing needs

机器特点：

- A: 自动感应收纸，高效率，低人工
- B: 白墨搅拌、循环，保证白墨打印流畅，不沉淀
- C: 操作便捷高效，高效打印，过粉、烘干、收卷一气呵成
- D: 白彩同出，不限面料，不限颜色，满足各种个性化打印需求

Application areas/应用领域：

- Cotton, denim, casual wear, socks, sports wear, apron, hoodie, hat, mask, T-shirts, canvas bag, etc.
- 纯棉、牛仔布、休闲服、袜子、球服、围裙、卫衣、帽子、口罩、T恤、帆布包等

Technical Parameters/技术参数：



01. DTF printer DTF 打印机

Printer Model 打印机型号	YY-T602
Head quantity/Mainboard 喷头数量/主板	2 printhead/ Hoson board 汉森主板
Printhead model 喷头类型	i3200
Printing speed 打印速度	4 pass:10m ² /h or 6 pass:8m ² /h
Printing media印刷介质	PET DTF Film 烫画专用DTF膜
Ink type 墨水类型	Special DTF ink 烫画专用DTF墨水
Transmission Interface 传输接口	Gigabit Network 千兆网络
Printing width 打印宽幅	600mm
Input voltage 电压	220V/110V
Media width 介质宽幅	0-600mm
Rip software PIP软件	Maintop 6.1 蒙泰6.1
Printer powder 打印机功率	1300W
Printer size 打印机尺寸	1360*550*650mm
Printer packing size 打印机包装尺寸	1490*570*550mm
Printer weight 打印机重量	N.W: 94KG G.W: 124KG

02. Powder shaker 抖粉机

Powder shaker model 抖粉机型号	YY-600
Media width 介质宽幅	0~600mm
Heating device 加热设备	Infrared carbon fibre heating tube 红外碳纤维加热管
Machine power 抖粉机功率	4000W/18A
Machine weight 抖粉机重量	N.W: 76KG G.W: 122KG
Machine size 抖粉机尺寸	1700*830*1100mm
Machine packing size 抖粉机包装尺寸	1220*880mm*1250mm


Printer Details/打印机细节：



Dual-head integrated ink stack
双头墨栈



Integrated powder supply board
集成电路



Anti-collision sliding trolley
小车防撞



Integrated platform +THK crossbeam
一体式吸附平台+THK横梁

Powder shaker Details/抖粉机细节：



Heat tubes
加热灯管



Automatic sensing paper receiver
自动感应手纸器



Cooling fan
冷却风扇



Powder recycle box
粉末回收盒

YY-T602+DF700

A1 DTF Printer



Machine Features:

- A: Automatic sense to collect paper film, high efficiency , low manual labor
- B: White ink stirring, circulation, ensure smooth printing without white ink precipitation
- C: Easy to operate , complete printing , powdering, curing, collecting paper film in one go;
- D: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet various personalized printing needs

机器特点：

- A: 自动感应收纸，高效率，低人工
- B: 白墨搅拌、循环，保证白墨打印流畅，不沉淀
- C: 操作便捷高效，高效打印，过粉、烘干、收卷一气呵成
- D: 白彩同出，不限面料，不限颜色，满足各种个性化打印需求

Application areas/应用领域：

- Cotton, denim, casual wear, socks, sports wear, apron, hoodie, hat, mask, T-shirts, canvas bag, etc.
- 纯棉、牛仔布、休闲服、袜子、球服、围裙、卫衣、帽子、口罩、T恤、帆布包等

Technical Parameters/技术参数：

01. DTF printer DTF 打印机

Printer Model 打印机型号	YY-T602
Head quantity/Mainboard 喷头数量/主板	2 printhead/ Hoson board 汉森主板
Printhead model 喷头类型	Xp600/F1080
Printing speed 打印速度	4 pass:6m ² /h or 6 pass:5m ² /h
Printing media印刷介质	PET DTF Film 烫画专用DTF膜
Ink type 墨水类型	Special DTF ink 烫画专用DTF墨水
Transmission Interface 传输接口	Gigabit Network 千兆网络
Printing width 打印宽幅	600mm
Input voltage 电压	220V/110V
Media width 介质宽幅	0-600mm
Rip software PIP软件	Maintop 6.1 蒙泰6.1
Printer powder 打印机功率	1300W
Printer size 打印机尺寸	1360*550*650mm
Printer packing size 打印机包装尺寸	1490*570*550mm
Printer weight 打印机重量	N.W: 94KG G.W: 124KG

02. Powder shaker 抖粉机

Powder shaker model 抖粉机型号	DF700
Media width 介质宽幅	0~600mm
Heating device 加热设备	heating tube 灯管加热
Machine power 抖粉机功率	4000W/18A
Machine weight 抖粉机重量	N.W: 155KG G.W: 190KG
Machine size 抖粉机尺寸	1865*1050*1080mm
Machine packing size 抖粉机包装尺寸	1250*1150mm*1250mm


Printer Details/打印机细节：



Dual-head integrated ink stack
双头墨栈



Integrated powder supply board
集成电路



Anti-collision sliding trolley
小车防撞



Integrated platform +THK crossbeam
一体式吸附平台+THK横梁

Powder shaker Details/抖粉机细节：



Heat tubes
加热灯管



Automatic sensing paper receiver
自动感应手纸器



Cooling fan
冷却风扇



Powder recycle box
粉末回收盒

YY-A602+Mini

A2 DTF Printer



Machine Features:

- A: Hansen board , high precision , strong stability
- B: White ink stirring, circulation, ensure smooth printing without white ink precipitation
- C: Easy to operate , complete printing , powdering, curing, collecting paper film in one go;
- D: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet various personalized printing needs

机器特点：

- A: 汉森板卡，精密度高，稳定性强
- B: 白墨搅拌、循环，保证白墨打印流畅，不沉淀
- C: 操作便捷高效，高效打印，过粉、烘干、收卷一气呵成
- D: 白彩同出，不限面料，不限颜色，满足各种个性化打印需求

Application areas/应用领域：

- Cotton, denim, casual wear, socks, sports wear, apron, hoodie, hat, mask, T-shirts, canvas bag, etc.
- 纯棉、牛仔布、休闲服、袜子、球服、围裙、卫衣、帽子、口罩、T恤、帆布包等

Technical Parameters/技术参数：

01. DTF printer DTF 打印机

Printer Model 打印机型号	YY-A602
Head quantity/Mainboard 喷头数量/主板	2 printhead/ Hoson board 汉森主板
Printhead model 喷头类型	Xp600
Printing speed 打印速度	4 pass:6-8m ² /h or 6 pass:3-4m ² /h
Printing media印刷介质	PET DTF Film 烫画专用DTF膜
Ink type 墨水类型	Special DTF ink 烫画专用DTF墨水
Transmission Interface 传输接口	Gigabit Network 千兆网络
Printing width 打印宽幅	330mm
Input voltage 电压	220V/110V
Media width 介质宽幅	0-350mm
Rip software PIP软件	Maintop 6.1 蒙泰6.1
Printer powder 打印机功率	800W
Printer size 打印机尺寸	1070*710*480mm
Printer packing size 打印机包装尺寸	1180*650*650mm
Printer weight 打印机重量	N.W: 63KG G.W: 94KG

02. Powder shaker 抖粉机

Powder shaker model 抖粉机型号	YY-Mini
Media width 介质宽幅	0~500mm
Heating device 加热设备	Infrared heating tube 红外线加热管
Machine power 抖粉机功率	1500W/5A
Machine weight 抖粉机重量	N.W: 35KG G.W: 46KG
Machine size 抖粉机尺寸	900*600*580mm
Machine packing size 抖粉机包装尺寸	780*610mm*710mm


Printer Details/打印机细节：



Front & Rear-end heating
前后加热



Integrated platform
一体式吸附平台



Bold paper guiding roller
强力压纸轮



Dual-heads integrated ink stack
双头魔栈

Powder shaker Details/抖粉机细节：



Heat tubes
加热灯管



Automatic sensing paper receiver
自动感应手纸器



Control panel
控制面板



Powder recycle box
粉末回收盒

YY-A603+Mini

A3 DTF Printer



Machine Features:

- A: Hansen board , high precision , strong stability
- B: White ink stirring, circulation, ensure smooth printing without white ink precipitation
- C: Easy to operate , complete printing , powdering, curing, collecting paper film in one go;
- D: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet various personalized printing needs

机器特点:

- A: 汉森板卡, 精密度高, 稳定性强
- B: 白墨搅拌、循环, 保证白墨打印流畅, 不沉淀
- C: 操作便捷高效, 高效打印, 过粉、烘干、收卷一气呵成
- D: 白彩同出, 不限面料, 不限颜色, 满足各种个性化打印需求

Application areas/应用领域:

- Cotton, denim, casual wear, socks, sports wear, apron, hoodie, hat, mask, T-shirts, canvas bag, etc.
- 纯棉、牛仔布、休闲服、袜子、球服、围裙、卫衣、帽子、口罩、T恤、帆布包等

Technical Parameters/技术参数:



01. DTF printer DTF 打印机

Printer Model 打印机型号	YY-A603
Head quantity/Mainboard 喷头数量/主板	2 printhead/ Hoson board 汉森主板
Printhead model 喷头类型	Xp600
Printing speed 打印速度	4 pass:5-6m ² /h or 6 pass:2-3m ² /h
Printing media印刷介质	PET DTF Film 烫画专用DTF膜
Ink type 墨水类型	Special DTF ink 烫画专用DTF墨水
Transmission Interface 传输接口	Gigabit Network 千兆网络
Printing width 打印宽幅	420mm
Input voltage 电压	220V/110V
Media width 介质宽幅	0-450mm
Rip software PIP软件	Maintop 6.1 蒙泰6.1
Printer powder 打印机功率	800W
Printer size 打印机尺寸	970*620*480mm
Printer packing size 打印机包装尺寸	1080*645*650mm
Printer weight 打印机重量	N.W: 55KG G.W: 80KG

02. Powder shaker 抖粉机

Powder shaker model 抖粉机型号	YY-Mini
Media width 介质宽幅	0~500mm
Heating device 加热设备	Infrared heating tube 红外线加热管
Machine power 抖粉机功率	1500W/5A
Machine weight 抖粉机重量	N.W: 35KG G.W: 46KG
Machine size 抖粉机尺寸	900*600*580mm
Machine packing size 抖粉机包装尺寸	780*610mm*710mm


Printer Details/打印机细节:




Front & Rear-end heating
前后加热



Integrated platform
一体式吸附平台




Bold paper guiding roller
强力压纸轮



Dual-heads integrated ink stack
双头魔栈

Powder shaker Details/抖粉机细节:



Heat tubes
加热灯管



Automatic sensing paper receiver
自动感应手纸器




Control panel
控制面板



Powder recycle box
粉末回收盒

YY-PRT08+DRY8

All in one DTF Printer



Machine Features:

- A: All in one model , small footprint, cost -effective
- B: White ink stirring, circulation, ensure smooth printing without white ink precipitation
- C: Easy to operate , complete printing , powdering, curing, collecting paper film in one go;
- D: Simultaneous printing of white and color ink, unlimited in fabrics and colors, meet various personalized printing needs

机器特点：

- A: 一体机型，占地小，性价格比高
- B: 白墨搅拌、循环，保证白墨打印流畅，不沉淀
- C: 操作便捷高效，高效打印，过粉、烘干、收卷一气呵成
- D: 白彩同出，不限面料，不限颜色，满足各种个性化打印需求

Application areas/应用领域：

- Cotton, denim, casual wear, socks, sports wear, apron, hoodie, hat, mask, T-shirts, canvas bag, etc.
- 纯棉、牛仔布、休闲服、袜子、球服、围裙、卫衣、帽子、口罩、T恤、帆布包等

Technical Parameters/技术参数：



01. DTF printer DTF 打印机

Printer Model 打印机型号	YY-PRT08	
Head quantity/Mainboard 喷头数量/主板	2 printhead/ Hoson board 汉森主板	
Printhead model 喷头类型	i3200	Xp600
Printing speed 打印速度	6 pass:6-8m ² /h (i3200)	6 pass:3-5m ² /h (Xp600)
Printing media印刷介质	PET DTF Film 烫画专用DTF膜	
Ink type 墨水类型	Special DTF ink 烫画专用DTF墨水	
Transmission Interface 传输接口	Gigabit Network 千兆网络	
Printing width 打印宽度	600mm	
Input voltage 电压	220V/110V	
Printing height 打印高度	Best printing height 1.8mm 打印最佳高度为1.8mm	
Ink supply system 供墨系统	800ML ink cartridge negative pressure ink supply 800ML墨盒负压供墨	
Rip software PIP软件	Maintop 6.1 蒙泰6.1	
Printer power 打印机功率	1300W	
Printer size 打印机尺寸	1365*535*670mm	
Printer packing size 打印机包装尺寸	1435*610*615mm	
Printer weight 打印机重量	N.W: 80KG G.W: 100KG	

02. Powder shaker 抖粉机

Powder shaker model 抖粉机型号	YY-DRY8	
Media width 介质宽幅	0~600mm	
Heating device 加热设备	Powder shake built-ininfrared curing 抖粉机内置红外线三重烘干	
Feeding and take up system 进料/收料系统	5R high speed single head feeding and take up system 15R 高速单头收卷系统	
Machine power 抖粉机功率	4000W/18A	
Machine weight 抖粉机重量	N.W: 77KG G.W: 117KG	
Machine size 抖粉机尺寸	1300*930*970mm	
Machine packing size 抖粉机包装尺寸	1190*930mm*1111mm	

Why choose us ? 为什么选择我们？



Our: Aluminum material



Other: Iron material



Our: Artificially insulated wire



Other: Unsheathed insulated wire



Our: Paper wheel 8mm



Our: Paper wheel 3.5mm

Gold Color DTF Film(old)


Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer
Temp.136~140°C
(276.8° F~284° F)
Time:16s



Yanyan Heat Transfer



Detailed




Effect

Silver Color DTF Film(old)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer
Temp.136~140°C
(276.8° F~284° F)
Time:16s



Detailed

Yanyan Heat Transfer



Effect

Yanyan Heat Transfer


Gold Foil Color DTF Film(New)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

The first time:
Transfer Temp.160~165°C
(320° F~329° F)
Time:6~8s

The second time:
Transfer Temp.180°C
(356° F)
Time:30s



Silver Foil Color DTF Film(New)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

The first time:
Transfer Temp.160~165°C
(320° F~329° F)
Time:6~8s

The second time:
Transfer Temp.180°C
(356° F)
Time:30s

Yanyan Heat Transfer




Silver Glitter Color DTF Film(New)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

The first time:
Transfer
Temp.160~165°C
(320° F~329° F)
Time:6~8s

The second time:
Transfer Temp.180°C
(356° F)
Time:30s



Details



Effect

Gold Glitte Color DTF Film(New)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

The first time:
Transfer Temp.160~165°C
(320° F~329° F)
Time:6~8s

The second time:
Transfer Temp.180°C
(356° F)
Time:30s





Silver Reflective DTF Film(New)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer Temp.136~140°C
(276.8° F~284° F)
Time:16s




Glow in the dark DTF Film(new)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer
Temp.136~140°C
(276.8° F~284° F)
Time:16s

Yanyan Heat Transfer



Before color



After color-green color

Glow in the dark DTF Film(old)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer
Temp.136~140°C
(276.8° F~284° F)
Time:16s



Before color

Yanyan Heat Transfer



After color-green color

Rainbow Reflective DTF Film(old)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer
Temp.136~140°C
(276.8° F~284° F)
Time:16s



Yanyan Heat Transfer



Before color




After color-Rainbow reflective

**Chameleon DTF
Film(New)**

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer Temp.136~140°C
(276.8° F~284° F)
Time:16s



Effect



Effect

Temperature DTF
Film(new)

Size: 60cm*100m/roll
(it can be cut into 2rolls-
30cm*100m/roll)

Thickness: 75 micro
Single print side
Cold peel

Transfer Temp.136~140°C
(276.8° F~284° F)
Time:16s



Effect



Details

3D Water cube DTF Film(old)

Size: 60cm*100m/roll
or 30cm*100m/roll

Thickness: 75 micro

Single print side

Cold peel

Transfer Temp.136~140°C
(276.8° F~284° F)

Time:16s



3D Toilet Cube DTF Film

Print effect



Iron on effect



Transparent DTF Film

Mode No.: 8E

Size: 60cm*100m/roll
(it can be cut into 2 rolls-
30cm*100m/roll)

Thickness: 75 micro

Single print side

Hot peel


Glossy surface

Transfer

Temp.136~140°C

(276.8° F~284° F)

Time:16s



Effect

Yanyan Heat Transfer



30cm*100m/roll



Effect

Transparent DTF Film

Mode No.:8E

Size: 60cm*100m/roll
(it can be cut into 2 rolls-
30cm*100m/roll)

Thickness: 75 micro

Double print side


Cold peel

Glossy surface

Transfer

Temp.136~140°C
(276.8° F~284° F)

Time:16s



Effect

Yanyan Heat Transfer



Effect



30cm*100m/roll

Yanyan Heat Transfer

Transparent DTF Film

Mode No.: RY-32

Size: 60cm*100m/roll
(it can be cut into 2 rolls-
30cm*100m/roll)

Thickness: 75 micro

Single print side


Cold peel

Matte surface

Transfer

Temp.136~140°C
(276.8° F~284° F)

Time:16s



60cm*100m/roll



30cm*100m/roll



Effect

Transparent DTF Film

Mode No.: RY-32

Size: 60cm*100m/roll
(it can be cut into 2 rolls-
30cm*100m/roll)

Thickness: 75 micro

Double print side


Cold peel

Matte surface

Transfer

Temp.136~140°C
(276.8° F~284° F)

Time:16s



60cm*100m/roll



Effect

Yanyan Heat Transfer



30cm*100m/roll




Effect

Transparent DTF Film

Mode No.: RY-32
Size: A4 size
MOQ: 100 sheets / pack
Thickness: 75 micro
Double print side
Cold peel
Glossy surface

Transfer
Temp. 136~140°C
(276.8° F~284° F)
Time: 16s



100 sheets per pack

Yanyan Heat Transfer



Effect

Transparent DTF Film

Mode No.: RY-32
Size: A3 size
MOQ: 100 sheets / pack
Thickness: 75 micro
Double print side
Cold peel
Glossy surface

Transfer
Temp. 136~140°C
(276.8° F~284° F)
Time: 16s

Yanyan Heat Transfer



Yanyan Heat Transfer

DTF Powder

Color: white

Weight: 1kg/bag



Yanyan Heat Transfer

DTF Inks

Color: CMYK+W

DTF White Ink

DTF Cyan Ink

DTF Yellow Ink

DTF Black Ink

DTF Magenta Ink

Weight: 1kg/bottle

